


A close-up, low-angle shot of a car's front end. The image shows the sleek, curved lines of the hood and fender, painted in a deep, glossy red. The headlight assembly is visible, featuring a chrome trim and a clear lens. The lighting is dramatic, with strong highlights and deep shadows, emphasizing the car's contours and the quality of the paint.

GOLDline

**PREMIUM AUTO REFINISH MATERIALS
FOR TODAY'S REFINISH MARKET**

BODY FILLERS		3
PRIMERS		6
CLEAR COATS		8
TOP QUALITY AEROSOLS		10
ANCILLARIES		11
RANGERS BEDLINER		13

BODY FILLERS

UNIQUE GOLD

Premium light and fine polyester body filler

- Multifunctional lightweight polyester putty
- Combines the features of filling and finishing putties
- Exceptional sanding quality
- Very smooth surface after sanding
- Application on large surfaces

capacity	quantity in one carton	product number
1L	10 pcs per box	8757
3,5L	4 pcs per box	8758



SOFT PREMIUM

Filling super soft polyester body filler

- Very easy to apply
- Minimal surface tack
- Extremely short hardening time
- Excellent sanding properties

capacity	quantity in one carton	product number
1L	10 pcs per box	8659
3,5L	4 pcs per box	9183



LIGHT SAND

Filling lightweight polyester body filler

- Very low density with great structure
- Suitable for large surfaces
- Very good elasticity
- Easy sanding
- Smooth finish

capacity	quantity in one carton	product number
1L	10 pcs per box	9510
3,5L	4 pcs per box	8755



AQUA

Filling extra lightweight polyester body filler

- Very low density
- Low viscosity with excellent fluidity
- Extremely easy to mix and apply
- Exceptional sanding properties

capacity	quantity in one carton	product number
1L	10 pcs per box	8646



GOLD FLOW

Finishing Flowable Glaze Filler

- Designed for the repair of minor imperfections, such as scratches and pinholes.
- Flowable and self-levelling formulation
- Very low density
- Easy to apply
- Perfectly flat and smooth finish
- Exceptional sanding properties

capacity	quantity in one carton	product number
450ml	6 pcs per box	12320



BODY FILLERS

FINE FINISH

Finishing polyester putty

- Suitable for most common substrates including steel, aluminum, galvanized steel and glass fibre
- Intended for the application in thin layers, easily repairing scratches and small ripples
- Very easy sanding with the perfect finish

capacity	quantity in one carton	product number
1L	10 pcs per box	8660



ALU LIGHT

Filling and conductive polyester body filler with aluminum particles

- Designed for the repair of metal panels subject to vibrations and higher temperatures
- High filling power and conductivity
- Very good adhesion to metal
- Soft sanding

capacity	quantity in one carton	product number
1,8kg	10 pcs per box	8642



GLASS FIBRE

Constructive polyester body filler reinforced with fiber glass

- Dedicated for filling large dents and holes
- High hardness with high elasticity
- Short hardening time
- Good sanding properties

capacity	quantity in one carton	product number
1L	10 pcs per box	8751
2L	4 pcs per box	13294



MICRO GLASS FIBRE

Constructive polyester body filler with short fibre glass strands

- Reinforced with shorter strands of fiberglass
- Excellent repair properties for bridging holes and rust
- Strong adhesion to metal
- Short hardening time
- Good sanding properties

capacity	quantity in one carton	product number
1L	10 pcs per box	8752



CARBON BLACK

Revolutionary constructive polyester body filler carbon fibre reinforced

- Superb adhesion to metal
- Versatile filler, features constructive and conductive properties
- Intended to fill large dents and holes
- Extremely high flexibility and strength
- Exceptionally easy to sand especially compared to other constructive fillers

capacity	quantity in one carton	product number
1L	10 pcs per box	8641



BODY FILLERS

PLAST FIX

Filling and finishing polyester putty - especially dedicated to repair plastic panels subject to vibrations

- Maximum adhesion to most plastics
- Exceptional flexibility
- Soft sanding properties
- Very smooth surface

capacity	quantity in one carton	product number
500ml	10 pcs per box	8645



POLYESTER SPRAY FILLER

- Easy to apply
- High build coating
- Perfectly isolates primers and top coats from polyester putties
- Good anti-sagging properties

capacity	quantity in one carton	product number
1,2kg	12 pcs per box	8756



CATHODE PRIMER 3+1

Anticorrosive Isolation Primer

- Suitable for wet on wet application – no sanding required
- Can be applied as an isolation or medium build primer
- Formula includes anticorrosive pigments allowing the application on bare metal
- Short hardening time

Colour	capacity	quantity in one carton	product number
GREY	0,75L + 0,25L	6 pcs per box	9553
GREY	3L + 1L	4 pcs per box	8647
BLACK	3L + 1L	4 pcs per box	9425
WHITE	3L + 1L	4 pcs per box	9426



HI FIL 5+1 and 4+1

High Build Acrylic Primer

- High solids acrylic primer with excellent filling properties
- Easy application
- Very good vertical stability without any runs
- Compatible with all painting systems.

Colour 5+1 version	capacity	quantity in one carton	product number
GREY	0,8L + 0,16L	6 pcs per box	9020
BLACK	0,8L + 0,16L	6 pcs per box	9547
WHITE	0,8L + 0,16L	6 pcs per box	9548
GREY	3L + 0,6L	4 pcs per box	8657
BLACK	3L + 0,6L	4 pcs per box	9291
WHITE	3L + 0,6L	4 pcs per box	9424
Colour 4+1 version	capacity	quantity in one carton	product number
GREY	0,8L + 0,2L	6 pcs per box	13015



HI FIL GALVA 4+1

High Build Acrylic Primer

- High solids acrylic primer with maximum adhesion to aluminum and galvanized steel
- Excellent filling
- Can be applied directly over bare metal thanks to its great isolation properties
- Sands easily wet or dry.

Colour	capacity	quantity in one carton	product number
GREY	3,75L + 0,94L	4 pcs per box	9624
BLACK	3,75L + 0,94L	4 pcs per box	9623
WHITE	3,75L + 0,94L	4 pcs per box	9622



PRIMERS

HI FIL MAXI FILLER SPEED 4+1

Express High Build Acrylic Primer

- Express air drying – 60 min. after application at 20°C
- Very good filling capacity
- Easy to use with great leveling
- Contains anticorrosive additives allowing for DTM application

Colour	capacity	quantity in one carton	product number
GREY	0,8L + 0,2L	6 pcs per box	12956
GREY	3,75L + 0,94L	4 pcs per box	12207
BLACK	3,75L + 0,94L	4 pcs per box	12210
WHITE	3,75L + 0,94L	4 pcs per box	12209



WASH PRIMER 2+1

2-pack reactive polyvinyl resin based primer

- High anticorrosion protection
- Dedicated for wet-on-wet application
- Very good leveling
- Intended for application in thin layers.

capacity	quantity in one carton	product number
0,8L	6 pcs per box	300006755
Activator 0,4L	6 pcs per box	300006756



EPOXY 1+1

2-pack epoxy primer with anticorrosive pigments

- Suitable for wet-on-wet application
- Provides excellent protection of steel surfaces
- Very strong adhesion to various substrates
- Great sealing properties.

capacity	quantity in one carton	product number
0,5L	6 pcs per box	8749
hardener 0,5L	6 pcs per box	8750



PLAST PRIME

1K Plastic Adhesion Promoter

Increases the adhesion of primers, coats and color acrylic topcoats to most types of plastics, especially polypropylene, PP, and the mixture of these.

capacity	quantity in one carton	product number
1L	6 pcs per box	9024



CLEAR COATS

UNIQUE CLEAR 2+1

2K UHS Acrylic Clear Coat

- Ultra high solid content
- Perfect levelling
- Dramatic gloss

capacity	quantity in one carton	product number
5L	4 pcs per box	8661
hardener SLOW 2,5L	4 pcs per box	9621
hardener FAST 2,5L	4 pcs per box	8664
hardener STANDARD 2,5L	4 pcs per box	8663



096 UHS PREMIUM CLEAR COAT 2+1

2K UHS Acrylic Clear Coat

- For complete and partial repairs.
- Very high solid content > 55%.
- Fast drying time with long pot life.
- High gloss.
- Easy application with very good overspray absorption.

capacity	quantity in one carton	product number
5L	4 pcs per box	13378
hardener SLOW 2,5L	4 pcs per box	13381
hardener FAST 2,5L	4 pcs per box	13380
hardener STANDARD 2,5L	4 pcs per box	13382



098 UHS SPEED CLEAR COAT 2+1

2K Express Drying UHS Acrylic Clear Coat

- Very high solids content.
- Extremely high gloss and depth.
- Ultra fast air drying clear – no need for baking.
- Ready to assemble within 60 min. at 20°C with fast hardener
- Easy to mix and apply – no thinner required!
- Compatible with solvent and waterborne systems.

capacity	quantity in one carton	product number
1L	6 pcs per box	13304
hardener 0,5L	6 pcs per box	13305
5L	6 pcs per box	12393
hardener 2,5L	6 pcs per box	12394



CLEAR COATS

095 HS CLEAR COAT 2+1

2K HS Acrylic Clear Coat

- High content of solids
- Short hardening time
- High gloss
- Perfect coat appearance

capacity	quantity in one carton	product number
1L	6 pcs per box	9979
5L	4 pcs per box	8843
hardener FAST 0,5L	6 pcs per box	12969
STANDARD 0,5L	6 pcs per box	9980
hardener FAST 2,5L	4 pcs per box	8844
SLOW 2,5L	4 pcs per box	9791
hardener		
STANDARD 2,5L	4 pcs per box	8988
EXTRA SLOW 2,5L	4 pcs per box	11803



095 HS PREMIUM CLEAR COAT 2+1

2K HS Premium Acryl Clear Coat

- Intended for overall car body top coating.
- Increased resistance to scratches (SR).
- Thick formulation with high resin concentration and build.
- Very high gloss.
- Great overspray absorption.
- Excellent flow with no tendency to run.

capacity	quantity in one carton	product number
5L	4 pcs per box	13379
hardener FAST 2,5L	4 pcs per box	13384
hardener STANDARD 2,5L	4 pcs per box	13385
hardener SLOW 2,5L	4 pcs per box	13383



SILVER EXPRESS MS 2+1

2K MS Acrylic Clear Coat

- Very good levelling
- High gloss
- Hard and durable finish
- Highly scratch resistant
- Universal in use

capacity	quantity in one carton	product number
5L	4 pcs per box	8662
hardener FAST 2,5L	4 pcs per box	9034
STANDARD 2,5L	4 pcs per box	8665
SLOW 2,5L	4 pcs per box	9033



CLEAR COATS

CLEAR COAT MAT 2+1

2K MS Acrylic Matt Clear Coat

- Excellent matt appearance
- Highly scratch resistant
- Durable finish
- Easy flow

capacity	quantity in one carton	product number
1L	6 pcs per box	9022
Hardener 0,5L	6 pcs per box	9023



TOP QUALITY AEROSOLS

EPOXY SPRAY 500ml

1K epoxy primer with excellent anticorrosion properties and very good insulation from moisture. Perfect for spot and smart repairs.

capacity		
White 500ml	12 pcs per box	300009000
Light grey 500ml	12 pcs per box	300006710
Dark grey 500ml	12 pcs per box	300006711



PLAST ADHESION SPRAY

High quality primer designed for plastic surfaces. Enhances the adhesion ability of acrylics and polyurethanes on several types of plastic.

capacity	quantity in one carton	product number
500 ml	12 pcs per box	300006757



FADE AWAY SPRAY

Blend repairs made easy

High quality spray designed to smooth out color tone transitions between lacquers after local repairs.

capacity	quantity in one carton	product number
500 ml	12 pcs per box	300006712



ANCILLARIES

ROCKET ACCELERATOR

Designed for two-component acrylic and polyurethane systems. Accelerates the bonding process, quickening the curing time by 30 – 50%. Does not damage gloss finish, even at higher temperatures (up to 60°C).

capacity	quantity in one carton	product number
150 ml	6 pcs per box	8753



ANTISILICONE ADDITIVE

Prevents the formation of pinholes by eliminating silicone or grease from the surface to be coated.

capacity	quantity in one carton	product number
50 ml*	6 pcs per box	8754

* product available in 100 ml tins



DEGREASER

Mixture of strong organic solvents that effectively cleans the surface of silicone, oils, wax, etc.

capacity	quantity in one carton	product number
5L	4 pcs per box	300006709



THINNER

Mixture of selected organic solvents designed for thinning all acrylic fillers and acrylic lacquers.

capacity	quantity in one carton	product number
STANDARD 5L	4 pcs per box	300006853
SLOW 5L	4 pcs per box	8991
FAST 5L	4 pcs per box	9216



ANCILLARIES

EPOXY THINNER

Mixture of suitable organic solvents dedicated for thinning epoxy products, assuring its proper spreading and drying.

capacity	quantity in one carton	product number
1L	6 pcs per box	8667



FADE AWAY THINNER

Dedicated for small repairs on two-component acrylic clear coats. Eliminates dust while minimizing the differences between the old and newer coats of lacquer. Smooths rough surfaces and guarantees quick and easy shading, even when used with HS and UHS clear coats.

capacity	quantity in one carton	product number
1L	6 pcs per box	8666



BASECOAT THINNER

Mixture of organic solvents dedicated for thinning solvent based basecoats.

capacity	quantity in one carton	product number
5L	6 pcs per box	9298



THINNER FOR POLYESTER SPRAY FILLERS

Mixture of organic solvents dedicated for thinning polyester spray fillers.

capacity	quantity in one carton	product number
0,5L	6 pcs per box	9511



UBS ANTIGRAVEL

One-component agent based on synthetic resins designed for the protection of car bodies against corrosion, petrol, oil, water and salt. Creates durable and elastic finish with visible structure protecting against stone chips and offering good sound absorbing and sound proof properties. Does NOT contain asphalt and bitumen. Compatible with all lacquer systems.

Colour	capacity	quantity in one carton	product number
GREY	1200 g	12 pcs per box	300006860
BLACK	1200 g	12 pcs per box	300006858
WHITE	1200 g	12 pcs per box	300006859



STRONG PROTECTION AND EXCELLENT FINISH

MORE THAN 100 DIFFERENT USE POSSIBILITIES IN THE AUTOMOTIVE, INDUSTRIAL, AGRICULTURAL AND DOMESTIC SECTORS!

rangers



POLYURETHANE PROTECTIVE COATING WITH STRUCTURE EFFECT

RANGERS PROVIDES GREAT PROTECTION AGAINST THE TOUGHEST MECHANICAL AND CHEMICAL DAMAGES. IT CREATES AN EXTREMELY STRONG AND DURABLE 2K URETHANE COATING RECOMMENDED FOR PICK-UP TRUCKS, HEAVY-DUTY COMMERCIAL VEHICLES, OFF-ROAD VEHICLES, CARAVANS, SUVs, ETC. THE PRODUCT GIVES A STRUCTURE EFFECT AND IS AVAILABLE IN BLACK AND IN A TINTABLE VERSION. COLOR CAN BE ADDED TO THE TINTABLE RANGERS VERSION BY THE ADDITION OF DILUTING PRODUCTS (DETAILED INSTRUCTIONS AVAILABLE IN TDS SHEET). CAN BE APPLIED AFTER THINNING WITH AN UBS ANTIGRAVEL GUN OR CONVENTIONAL GRAVITY FEED GUN.

WHY CHOOSE TROTON RANGERS

- VERY TOUGH DURABLE COATING
- GREAT CHEMICAL RESISTANCE (OIL, GASOLINE, WATER, SALT)
- GREAT MECHANICAL RESISTANCE (SCRATCHES, STAINS)
- RESISTANT TO CLIMATIC CONDITIONS
- CONTAINS UV FILTERS PREVENTING COLOR FADING
- RESISTANT TO HIGH TEMPERATURES
- HIGH ANTI-CORROSION PROTECTION (ANTICORROSIVE AGENTS IN FORMULATION)
- SOUNDPROOFING PROPERTIES
- CAN BE APPLIED IN THICK LAYERS
- ANTI-SLIP STRUCTURE (TROTON'S ANTI – SLIP ADDITIVE)

AUTOMOTIVE APPLICATIONS

- AUTOMOTIVE UNDERCOATING AND CHASSIS
- AUTOMOTIVE PRIMER – SPECIALLY IN CAR RENOVATIONS
- BED LINER
- BODY PANELS
- TRUNK INTERIORS
- SUV FLOOR
- BULL BARS
- OFF-ROAD VEHICLE TRANSMISSIONS
- WHEEL ARCHES

BODY FILLERS

PRODUCT	TYPE OF PUTTY	COLOUR	STEEL	ALUMINIUM	ZINC COATED STEEL	PLASTIC	MIXING RATIO 	POT LIFE 20°C 	CURING TIME 20°C 	SANDING PAPER 	MAXIMUM LAYER THICKNESS	THEORETICAL EFFICIENCY OF 1L OF PUTTY FOR 200 µm LAYER	WEIGHT IN KG FOR A 1L PACKAGE	USE 
GLASS FIBRE BODY FILLER	Structural with fiber glass	Green	✓	✓	✓	✗	100:2	5÷6 min	14÷24 min	P80÷P240	5 mm	4÷5 m²	1,80 kg	For the initial filling of deep dents
MICRO GLASS BODY FILLER	Structural with micro fiber glass	Light green	✓	✓	✓	✗	100:2	4÷5 min	14÷24 min	P80÷P150	5 mm	4÷5 m²	1,82 kg	For the initial filling of deep dents
CARBON BLACK BODY FILLER	Structural with carbon fibers, conductive	Black	✓	✓	✓	✓	100:2	3÷4 min	20÷30 min	P80÷P240	3 mm	4÷5 m²	1,80 kg	For the initial filling of deep dents. Can be applied on plastic surfaces.
SOFT PREMIUM BODY FILLER	Filling, very soft sanding	Light beige	✓	✓	✓	✗	100:2	4÷5 min	14÷24 min	P100÷P280	5 mm	4÷5 m²	1,66 kg	For filling cavities and creating shape.
LIGHT SAND BODY FILLER	Filling, lightweight and very soft sanding	Light olive green	✓	✓	✓	✗	100:2	6÷7 min	20÷30 min	P100÷P280	5 mm	4÷5 m²	1,30 kg	Application on large areas, for filling holes and scratches.
UNIQUE GOLD BODY FILLER	Multifunctional, lightweight, fine-grained, soft sanding	Light beige, white	✓	✓	✓	✗	100:2	4÷5 min	16÷26 min	P120÷P320	3 mm	4÷5 m²	1,30 kg	Application on large areas, for filling holes and scratches.
AQUA BODY FILLER	Very lightweight and filling with low viscosity.	Beige	✓	✓	✓	✗	100:2	6÷7 min	25÷35 min	P120÷P280	3 mm	4÷5 m²	1,17 kg	Application on large areas, for filling holes and scratches
FINE FINISH BODY FILLER	Fine-grained.	White	✓	✓	✓	✗	100:2	4÷7 min	20÷30 min	P80÷P320	3 mm	4÷5 m²	1,90 kg	For filling minor scratches and pinholes.
PLAST FIX BODY FILLER	Fine-grained, very flexible	Gray	✗	✗	✗	✓	100:2	3÷4 min	25÷35 min	P80÷P320	3 mm	4÷5 m²	1,86 kg	For the repair of plastic car body elements subject to vibrations
ALU LIGHT BODY FILLER	Filling with addition of aluminum particles	Gray	✓	✓	✓	✗	100:2	4÷7 min	20÷30 min	P80÷P320	3 mm	4÷5 m²	1,82 kg	For the repair of car body elements subject to temperature changes.
GOLD FLOW GLAZE FILLER	Very lightweight, filling, flowable and self-leveling.	Light green	✓	✓	✓	✗	100:2	4÷6 min	16÷20 min	P100÷P320	4 mm	4÷5 m²	1,27 kg	For the application on galvanized steel and large surfaces, finishing

PRIMERS

PRODUCT	STEEL	ALUMINIUM	ZINC COATED STEEL	PLASTIC	MIXING RATIO 		DILUTION * (VOLUME PERCENT %)	VISCOSITY 20°C 	POT LIFE 20°C 	APPLICATION 	EVAPORATION TIME 	CURING TIME FOR 180 µm LAYER 	SANDING PAPER 	RECOMMENDED THICKNESS OF A SINGLE LAYER	THEORETICAL EFFICIENCY OF 1L OF THE MIXTURE FOR RECOMMENDED THICKNESS	COLOUR
					by volume	by weight										
ACRYLIC PRIMER HI FIL 5+1	✓	✗	✗	✗	5:1	100 : 12,8	10÷15 *	30÷50s	45 min	2÷3x1 HVLP/RP Ø1,5÷2,0mm	5÷10 min	3h/20°C 30 min/ 60°C	P360÷P500	80 µm	8,5÷9,0	White, gray, dark gray, graphite, black
CATHODE PRIMER 3+1	✓	✓	✓	✗	3:1	100 : 22,8	20 *	~ 30s	40 min	1÷2 x 1 HVLP/RP Ø 1,2÷1,6 mm	5÷10 min	2÷3h/20°C 20min/ 60°C	P360÷P500	50 µm	10÷11 m²	White, light gray, black.
							35 *	17÷19s	40 min	1,5 x 1 HVLP/RP Ø 1,2÷1,6 mm	20÷30 min	X	X	30 µm	16 m²	White, light grey, black
EPOXY PRIMER 1+1	✓	✓	✓	✗	1:1	100 : 56,2	NOT REQUIRED	18÷20s	3 h	1÷3x1 HVLP/RP Ø1,2÷1,5 mm	5÷10 min	5 h/ 20°C 35 min/ 60°C	X	30 µm	17÷18	White, light gray, black.
WASH PRIMER 2+1 (ETCH PRIMER)	✓	✓	✓	✗	2:1	100 : 39,7	NOT REQUIRED	18÷20s	48 h	1÷2x1 HVLP/RP Ø1,2÷1,5mm	10 min	20÷30 min	X	15 µm	24÷25	Beige
POLYESTER SPRAY FILLER	✓	✗	✗	✗	100:6	100 : 5,0	35 ***	~50s	~20 min	1÷3x1 HVLP/RP Ø1,8÷3,0mm	5÷10 min	2÷3 h/ 20°C 25÷30 min/ 60°C	P180÷P320	150 µm	5,0÷5,5	Light gray
ACRYLIC PRIMER GALVA 4+1	✓	✓	✓	✗	4:1	100 : 15,0	35 ***	25÷50s	60 min	2÷3x1 HVLP/RP Ø1,5÷2,0mm	5÷10 min	3÷4 h/20°C 35 min/ 60°C	P360÷P500	80 µm	8,0÷8,50	White, light gray, black.
ACRYLIC PRIMER HI FIL MAXI FILLER SPEED 4+1	✓	✓	✓	✗	4:1	100 : 14,8	0÷5 *	30÷50s	65 min	2÷3x1 HVLP/RP Ø1,5÷2,0mm	5÷10 min	1h/20°C 10 min/ 60°C	P360÷P500	80 µm	8,5÷9,0	White, gray, black
PLAST PRIMER 1K	✗	✗	✗	✓	-	-	X	10÷12s	X	1÷2 x 1 HVLP/RP Ø 1,2÷1,4 mm	5÷10 min	X	X	15 µm	13÷14	Straw, transparent

* / Thinner for acrylic systems.

**/ Thinner for epoxy systems.

***/ Thinner for polyester spray fillers.

CLEAR COATS

PRODUCT	BASE COAT	WOOD	MIXING RATIO		DILUTION * (VOLUME PERCENT %)	VISCOSITY 20°C	POT LIFE 20°C	APPLICATION	EVAPORATION TIME BETWEEN LAYERS	EVAPORATION TIME BEFORE BAKING	CURING TIME FOR 60 MM, 60°C	RECOM- MENDED THICKNESS OF A SINGLE LAYER	THEO- RETICAL EFFICIENCY OF 1L OF THE MIXTURE FOR A RECOM- MENDED THICKNESS OF A SINGLE LAYER	GLOSS DEGREE
			by volume	by weight										
096 UHS PREMIUM CLEAR COAT 2+1	✓	✓	2:1	100 : 50	0÷5 *	17÷19s	3,5 h	1,5÷2x1 HVLP/RP Ø1,2÷1,4 mm	5÷10 min	10 min	15 min	50 µm	10 m²	Very high gloss
098 UHS SPEED CLEAR COAT 2+1	✓	✓	2:1	100 : 51,7 100 : 51,6	0 *	19÷21s	1,5 h utw. standard 1 h utw. fast	1,5x1 HVLP/RP Ø1,2÷1,4 mm	2 min	10 min	5 min	50 µm	10÷11 m²	Very high gloss
UNIQUE UHS CLEAR COAT 2+1	✓	✓	2:1	100 : 50,4	0	18÷20s	90 min	2 x1 HVLP/RP Ø1,2÷1,4 mm	7÷8 min	15 min	25÷30 min	50 µm	10÷11 m²	Very high gloss
095 HS CLEAR COAT 2+1	✓	✓	2:1	100 : 50,5	10 *	15÷16s	2 h	2 x1 HVLP/RP Ø1,3÷1,4 mm	5÷7 min	5÷10 min	30 min	40 µm	8÷10 m²	Very high gloss
095 HS PREMIUM CLEAR COAT 2+1	✓	✓	2:1	100 : 49,9	0÷5 *	15÷17s	2,45 h	2x1 HVLP/RP Ø1,3÷1,4 mm	10 min	10÷15 min	30 min/60°C 24h/20°C	50 µm	8,5÷9 m²	Very high gloss
SILVER MS CLEAR COAT 2+1	✓	✓	2:1	100 : 50	0÷3 *	15÷16s	5 h	2 x1 HVLP/RP Ø1,3÷1,4 mm	5 min	10 min	30 min	30 µm	8 m²	High gloss
CLEAR COAT 2+1 MATT	✓	✓	2:1	100 : 50	10 *	16÷18s	7 h	2x1 HVLP/RP Ø1,3÷1,4 mm	10÷15 min	-	-	30 µm	8÷9 m²	High gloss

* / Thinner for acrylic systems.





TROTON Sp z o.o.

Poland 78-120 Gościno,
Ząbrowo 14 A
tel./fax +48 94 35 126 22,
tel. +48 94 35 123 94
troton@troton.com.pl
www.troton.eu

